

## Prof. Rony Wallach – List of publications

Department of Soil and Water Sciences,  
The R.H. Smith Faculty of Agriculture, Food and Environment  
The Hebrew University of Jerusalem  
P. O. Box 12, Rehovot 76100, Israel.  
Phone: (972) 8 9489170 Fax: (972) 8 9475181 E-Mail: wallach@agri.huji.ac.il

1. Wallach R, Jury WA, Spencer WF, 1988. Modeling the losses of soil-applied chemicals to runoff: Lateral irrigation versus precipitation. *Soil Sci. Soc. Amer. J.*, 52(3):605-612.
2. Wallach R, Jury WA, Spencer WF, 1988. Transfer of chemicals from soil solution to surface runoff: A diffusion-based model. *Soil Sci. Soc. Amer. J.*, 52(3):612-618.
3. Wallach R, Jury WA, 1988. Discussion on the paper "Pore water update by agriculture runoff" By A.D. Parr, C. Richardson, D. D. Lane and D. Buchman, Published in ASCE Journal of Environ. Eng. 113:49-63, Feb. 1987. *ASCE J. of Environ. Eng.*, 114:1235-1237.
4. Wallach, R., van Genuchten MTh, Spencer WF, 1989. Modeling solute transfer from soil to surface runoff: The concept of effective depth of transfer. *J. Hydrology*. 109:307-317.
5. Wallach R, Zaslavsky D, Israeli M, 1989. A small perturbations solution for steady infiltration due to nonuniform water application. *Water Resour. Res.*, 25:1989-1998.
6. Wallach R, Jury WA, Spencer WF, 1989. The concept of convective mass transfer for prediction of surface-runoff pollution by soil surface applied chemicals. *Trans. of ASAE*, 32(3):906-912.
7. Wallach R, 1990. Effective irrigation uniformity as related to root zone depth. *Irrigation Sci.*, 11(1):15-21.
8. Wallach R, van Genuchten MTh, 1990. A physically-based model for predicting solute transfer from soil to rainfall-induced runoff. *Water Resour. Res.*, 26(9):2119-2126.
9. Wallach R, 1990. Soil water distribution in a non-uniformly irrigated field with root extraction. *J. Hydrology*, 119:137-150.
10. Wallach R, 1991. Runoff contamination by soil chemicals - time scales approach. *Water Resour. Res.*, 27(2):215-223.
11. Wallach R, Israeli M, Zaslavsky D, 1991. Small perturbations solution for steady nonuniform infiltration into soil surface of a general shape. *Water Resour. Res.*, 27(7):1665-1670.

12. Wallach R, Zaslavsky D, 1991. Lateral flow in a layered profile of an infinite uniform slope. *Water Resour. Res.*, 27(8):1809-1818.
13. Wallach R, 1991. A linear cascade model for predicting transport of dissolved agrochemicals by surface runoff. *J. Hydrology*, 126:207-224.
14. Wallach R, Shabtai R, 1992. Surface-runoff contamination by soil chemicals - equilibrium and first-order kinetics models. *Water Resour. Res.* 28(1):167-173.
15. Wallach R, Shabtai R, 1992. Modeling surface runoff contamination by soil-applied chemicals under transient infiltration. *J. Hydrology* 132:263-281.
16. Wallach R, da Silva F F, Chen Y, 1992. Unsaturated hydraulic characteristics of composted agricultural wastes, tuff and mixtures. *Soil Sci.* 153(6):434-441.
17. Wallach R, da Silva FF, Chen Y, 1992. Unsaturated hydraulic characteristics of tuff (scoria) from Israel. *J. Amer. Soc. Hortic. Sci.* 117(3):415-421.
18. Wallach R, and Shabtai R, 1993. Surface runoff contamination by chemicals initially incorporated below the soil surface, *Water Resour. Res.* 29(3):697-704.
19. Wallach R, 1993. Approximate analytical solution for soil chemical transfer to runoff: A modified boundary condition, *Water Resour. Res.* 29(5):1467-1474.
20. da Silva FF, Wallach R, Chen Y, 1993. Hydraulic properties of Sphagnum Peat Moss and Tuff (scoria) and their potential effects on water availability, *Plant and Soil* 154:119-126.
21. Rivlin (byk) J, Wallach R, 1995 An analytical solution for the lateral transport of dissolved chemicals in overland flow, *Water Resour. Res.* 31(4): 1031-1040.
22. da Silva FF, Wallach R, Chen Y, 1995. Hydraulic properties of rockwool slabs used as substrates in horticulture. *Acta Hort.* 401:71-75. (reviewed issue).
23. Wallach R, Grigorin G, Rivlin (Byk) J, 1997. The errors in surface runoff prediction by neglecting the relationship between infiltration rate and overland flow depth. *J. of Hydrology*, 200: 243-259.
24. Rivlin (Byk) J, Wallach R, Grigorin G, 1997. Lateral transport of soil dissolved chemicals in overland flow - an analytical solution of transient surface concentration. *J. Contaminant Hydrology.* 28:21-38.
25. Steenhuis TS, Bodnar M, Goehring LD, Wallach R, 1997. A simple model for prediction in agricultural tile lines shortly after application. *Hydrology and Earth System Sci.*, 4:823-833.
26. Wallach R, 1998. A small perturbations solution for nonequilibrium chemical transport through soils with relatively high desorption rate, *Water Resour. Res.* 34(1):149-154.
27. Stern, RA, Naor A, Meron M, Wallach R, Bravdo B, Gazit S, 1998. Effect of autumnal irrigation level in 'Mauritius' Lychee on soil plant water status, and

- flowering intensity and yield the following year. *J. Am. Soc. Hort. Sci.* 123(1):150-155.
28. da Silva, FF, Wallach R, Chen Y, 1998. Measuring water content of horticultural substrates using time-domain reflectometry. *Acta Hort.* 421:165-169. (reviewed issue).
  28. Hogarth WL, Parlange J-Y, Wallach R, 1998. Discussion on the paper "Deposition in narrow channels" by J. R. Philip, Published in *Chemical Eng. Sci.* 50:793-802, 1995. *Chemical Eng. Sci.* 53(6): 1317-1318.
  29. Wallach R, Steenhuis TS, 1998. A model for solute transport in structured soils with continuous preferential flow paths. *Soil Sci. Soc. Am. J.* 123(4): 734-737.
  30. da Silva FF, Wallach R, Polak A, Chen Y, 1998. Measuring water content of soil substitutes with time domain reflectometry (TDR). *J. Am. Soc. Hort. Sci.* 123(4): 734-737.
  31. Wallach R, Parlange J-Y, 1998. Modeling transport in a single crack by the dual-porosity concept with a boundary layer at the interface. *J. Contaminant Hydrology* 34: 121-138.
  32. Raviv M, Wallach R, Silber A, Medina Sh, Krasnovsky A, 1999. The effect of hydraulic characteristics of volcanic materials on yield of roses in soilless culture. *J. Am. Soc. Hort. Sci.* 124(2):205-209.
  33. Reichman R, Wallach R, Mahrer Y, 2000. A combined soil-atmosphere model for evaluating the fate of surface-applied volatile organic chemicals. 1. Model development and verification. *Environ. Sci. and Tech.* 34(7):1313-1320.
  34. Reichman R, Mahrer Y, Wallach R, 2000. A combined soil-atmosphere model for evaluating the fate of surface-applied volatile organic chemicals. 2. The effect of varying environmental conditions. *Environ. Sci. and Tech.* 34(7):1321-1330.
  35. Meerbach D, Cohen S, Yermiyahu U, Wallach R, Direksen C, 2000. Influence of drip irrigation layout on salt distribution and sap flow in effluent irrigated cotton. *Acta Horticulture.* 537:709-718. (reviewed issue).
  36. Wallach R, Parlange J-Y, 2000. Applying the boundary layer concept to model transport of dissolved chemicals in preferential flow paths. *Water Resour. Res.* 36(10):845-2851.
  37. Wallach R, Grigorin G, Rivlin (Byk) J, 2001. A comprehensive mathematical model for transport of soil-dissolved chemicals by overland flow. *J. Hydrology* 247:85-99.
  38. Polak A, Wallach R, 2001. Analysis of soil-moisture variations in an irrigated orchard root zone. *Plant and Soil* 233:145-159.
  39. Raviv M, Lieth JH, Burger DW, Wallach R, 2001. Optimization of transpiration and potential growth rates of cut rose (CV. Kardinal) with respect to root-zone physical properties. *J. Am. Soc. Hort. Sci.* 126(5):638-643.

40. Raviv M, Lieth LJ, Wallach R, 2001. The effect of root-zone physical properties of coir and UC mix on performance of cut rose (cv. Kardinal). *Acta Hort.* 554: 231-238 (reviewed issue).
41. Polak A, Wallach R, 2001. Measuring soil moisture dynamics in an irrigated orchard by time domain reflectometry method. *Acta Hort.* 562:39-46 (reviewed issue).
42. Li Y, Fuchs M, Cohen S, Cohen Y, Wallach R, 2002.Changes of the hydraulic path in roots of drip-irrigated corn during a drying period. *Cell, Plant and Environment* 25(4):491-512.
43. Polak A, Nativ R, Wallach R, 2002. Matrix diffusion in chalk formation and its correlation to porosity. *J. Hydrology* 268:203-213.
44. Li Y, Wallach R, Cohen Y, 2002.The role of soil hydraulic conductivity on the spatial and temporal variation of root water uptake in drip-irrigated corn. *Plant and Soil* 243:131-142.
45. Silber, A. Xu, G, Wallach, R, 2002. High irrigation frequency: The effect on plant growth and on uptake of water and nutritional elements. XXVIth Inter. Hortic. Congress. Toronto, Canada. *Acta Hort.* 627: 89-96.
46. Polak A, Grader A.S, Wallach R, Nativ R, 2003. Chemical diffusion between a fracture and the surrounding matrix: Measurement by computed tomography and modeling. *Water Resour. Res.* 39(4): 1106- .
47. Polak A, Grader AS, Wallach R, Nativ R, 2003. Tracer diffusion form a horizontal fracture into surrounding matrix: measurement by computed tomography. *J. Contaminant Hydrology* 67:95-112.
48. Silber A, Guohua X, Levkovich I, Bilu A, Wallach R, 2003. The effect of fertigation frequency on lettuce yield, and uptake of water and nutritional elements. *Plant and Soil* 253:467-477.
49. Li Y, Cohen Y, Wallach R, Cohen S, Fuchs M, 2004. On quantifying soil water deficit of a partially wetted root zone by the response of canopy or leaf conductance. *Agric. Water Management* 65:21-38.
50. Raviv M, Wallach R, Blom TJ, 2004. The effect of physical properties of the *soilless* media plant performance - A Review. Invited lecture. *Acta Hort.* 644:251-259 (Reviewed)
51. Xu G, Levkovitch I, Soriano S, Wallach,R, Silber A, 2004. Integrated effect of irrigation frequency and phosphorus level on lettuce: P uptake, root growth and yield. *Plant and Soil* 263:297-309.
52. Saguy IS, Marabi A, Wallach R, 2005. Liquid imbibition during rehydration of dry porous food. *Innovative Food Science and Emerging Technologies* 6:37-43.

53. Saguy IS, Marabi A, Wallach R, 2005. New approach to model rehydration of dry food particulates utilizing principles of liquid transport in porous media. *Trends in Food Sci. and Technology* 16:495-506.
54. Wallach R, Ben Arie O, Graber ER, 2005. Soil water repellency induced by long-term irrigation with treated sewage effluent. *J. Environ. Quality* 34:1910-1920.
55. Wallach R, Raviv M, 2005. The dependence of moisture-tension relationship and water availability on irrigation frequency in containerized growing medium. *Acta Hort.* 697: 293-300 (Reviewed).
56. Graber ER, Ben-Arie O, Wallach R, 2006. Effect of Sample Disturbance on Soil Water Repellency Determination. *Geoderma* 13:11-19.
57. Wallach R, Graber ER, 2007. Effluent irrigation-induced soil water repellency: Time dependent variation of infiltration rate and of water repellency at different levels of ambient relative humidity. *Hydrological Processes* 21:2346-2355.
58. Wallach R, Graber ER, 2007. Effluent irrigation-induced soil water repellency: Time dependent variation of infiltration rate and of water repellency at different levels of ambient relative humidity. *Hydrological Processes* 21:2346-2355.
59. Marabi A, Mayor G, Raemy A, Bauwens I, Claude J, Burbidge A, Wallach R, Saguy IS, 2007. Solution calorimetric: a novel perspective into the dissolution process of food powders. *Food Research International* 40:1286-1298.
60. Graber ER, Krispil S, Wallach R, 2007. Do surface active substances released from water repellent soils contribute to their wetting kinetics? *Eur. J. Soil Sci.* 58:1393-1399.
61. Marabi A, Mayor G, Burbidge A, Wallach R, Saguy IS, 2008. Assessing dissolution kinetics of powders by a Single Particle approach. *Chem. Eng. J.* 139: 118-127.
62. Marabi A, Raemy A, Bauwens I, Burbidge A, Wallach R, Saguy IS, 2008. Effect of fat content on the dissolution enthalpy and kinetics of a model food powder. *J Food Eng.* 85:518-527.
63. Wallach R, Jortzick C, 2008. Unstable finger-like flow in water-repellent soils during wetting and redistribution - the case of a point water source. *J. Hydrology* 351:26-41.
64. Sade N, Vinocur B, Diber A, Shatil A, Ronen G, Nissani H, Wallach R, Karchi H, Moshelion M, 2009. Improving plant stress tolerance and yield production: is the tonoplast aquaporin SITIP2;2 a key to isohydric to anisohydric conversion? *New Phytologist*, doi: 10.1111/j.1469-8137.2008.02689.x
65. Graber ER, Tagger S, Wallach R, 2009. Role of Divalent Fatty Acid Salts in Soil Water Repellency. *Soil Sci. Soc. Am J.* 73(2):541-549.

66. Sade N, Gebretsadik M., Seligmann R, Schwartz A, Wallach R, Moshelion M, 2010. The role of tobacco aquaporin1 in improving water use efficiency, hydraulic conductivity, and yield production under salt stress. *Plant Physiology* 152, 1-10.
67. Wallach, R, 2010. The effect of soil water repellency on moisture distribution from a sub-surface point source. *Water Resour. Res.*, 46, W08521, doi:10.1029/2009WR007774.
68. Wallach R, Da-Costa N, Raviv M, Moshelion M., 2010, Development of synchronized, autonomous and self-regulated oscillations in transpiration rate of tomato whole plant under water stress. *J. Experimental Botany*, 61(12), 3439–3449. doi:10.1093/jxb/erq168.
69. Aminzadeh B, DiCarlo D, Wallach R, 2011, The effect of contact angle on saturation overshoot. *Vadose Zone J.* 10:466-468.
70. Troygot O, Saguy IS, Wallach R, 2011. Modeling rehydration of porous food materials: I. Determination of characteristic curve from water sorption isotherms. *Journal of Food Engineering* 105:408-415.
71. Wallach R, Troygot O, Saguy IS, 2011. Modeling rehydration of porous food materials: II. The dual porosity approach. *Journal of Food Engineering* 105:416-421.
72. Xiong Y, Wallach R, Furman A, 2011. Modeling Multidimensional Flow in Wettable and Water-Repellent Soils Using Artificial Neural Networks. *J. Hydrology* 410:92–104.
73. Xiong Y, Furman A, Wallach R, 2012. Moment analysis description of infiltration and redistribution in wetttable and water-repellent soils. *J. Hydrology* 422-423: 30-42.
74. Wang Q, Graber ER, Wallach R, 2013. Synergistic effects of geometry, inertia, and dynamic contact angle on wetting and dewetting of capillaries of varying cross sections. *J. Colloid Interface. Sci.* 396:270-277.
75. Kelly G, Moshelion M, David-Schwartz R. Halperin O, Wallach R, Attia Z, Velausov E, Granot D, 2013. Hexokinase mediates stomatal closure. *The Plant J.* DOI: 10.1111/tpj.12258
76. Wallach R, Margolis M, Graber ER, 2013. The role of contact angle on unstable flow formation during infiltration and drainage in wetttable porous media. *Water Resour. Res.* 49, 1–14, doi:10.1002/wrcr.20522,
77. Wallach R, Wang Q, 2013. An extension of Miller scaling to scale sorptivity by contact angle. *Water Resour. Res.* 49, 6927-6932, doi:10.1002/wrcr.20505.
78. Baver CE, Parlange J-Y, Stoof CR, DiCarlo DA, Wallach R, Durnford DS, Steenhuis TS, 2014. Capillary pressure overshoot for unstable wetting fronts is explained by Hoffman's velocity-dependent contact-angle relationship. *Water Resour. Res.* *Water Resour. Res.*, 50, 5290–5297, doi:10.1002/2013WR014766

79. Moshelion M, Halperin O, Wallach R, Oren R, Way DA, 2014. The role of aquaporins in determining transpiration and photosynthesis in water-stressed plants: crop water-use efficiency, growth and yield. *Plant Cell and Environ.* doi: 10.1111/pce.12410.
80. Xu P, Moshelion M, Wu X, Halperin O, Wang B, Luo J, Wallach R, Wu X, Lu Z and Li G, 2015. Natural variation and gene regulatory basis for the responses of asparagus beans to soil drought. *Front. Plant Sci.* 6:891. doi: 10.3389/fpls.2015.00891
81. Bugichi T, Wallach R, 2016. Formation of soil-water repellency in olive orchards and its influence on infiltration patterns. *Geoderma*, 262, 1-11.
82. Nisan A, Wang Q, Wallach R, 2016. Kinetics of gravity-driven slug flow in partially wettable capillaries of varying cross section. *Water Resour. Res.* (accepted).
83. Brindt, N, Wallach R, 2016. The moving-boundary approach for modeling gravity-driven stable and unstable flow in soils. *Water Resour. Res.* (submitted).

### **Chapters in Books:**

1. Wallach R, 1994. Groundwater Contamination by Sewage Irrigation, pp. 189-202. in: U. Zoller (Ed.) *Groundwater Contamination and Control*, Marcel Dekker Inc.
2. Wallach R, Parlange J-Y, Steenhuis TS, 1999. Modeling the Movement of Water and Solute through Preferential Paths, pp. 7-1 - 7- 21. in: J. Delleur (Ed.) *Groundwater Engineering Handbook*, CRC Press.
3. Oron, G. Ben-David L, Gillerman L, Wallach R, Manor Y, Halmuth T, Kats L, 2001. Potentials of irrigation and fertilization. In: P. Lens, G. Zeeman, and G. Lettinga, (Edt): *Decentralized Sanitation and Reuse: Concepts, Systems and Implementation*. IWA publishing, London, 2001, pp. 411-428.
4. Raviv M, Wallach R, Silber A, Bar-Tal A, 2002. Substrates and Their Analysis. pp. 25-102, Chapter 2 in: Savvas, D. and H. Passam (eds.), *Hydroponic Production of Vegetables and Ornamentals*. Embryo Publications, Greece.
5. Wallach R, 2003. Dynamics of solute exchange between a fracture and the surrounding matrix. pp. 41-52. in: Kono, Nishigaki and Komatsu (Eds.) *Ground Water Engineering – Recent Advances*, A.A. Balkema Publishers.
6. Wallach R, Parlange J-Y, Steenhuis TS, Modeling the Movement of Water and Solute through Preferential Paths and Fractures, Chapter 9. in: J. Delleur (Ed.) *Groundwater Engineering Handbook*, CRC Press (2nd Ed). (in press).

7. Wallach R, 2008. Physical Characteristics of Soilless Media pp. 41-116, Chapter 3 in: Raviv M., and Lieth JH, (eds.), *Soilless Culture - Theory and Practice*. Elsevier.
8. Saguy IS, Troygot O, Marabi A, Wallach R, 2010. Rehydration modeling of food particulates by using principles of water transport in porous media. pp. 219-236, Chapter 17 in: *Water Properties in Food and Health, Pharmaceutical and Biological Systems - ISOPOW 10*.
9. Marabi A, Raemy A, Burbidge A, Wallach R, Saguy IS, 2010. The effect of water and fat contents on the enthalpy of dissolution of model food powders: a thermodynamic insight. pp. 41-47, Chapter 3 in: *Water Properties in Food and Health, Pharmaceutical and Biological Systems - ISOPOW 10*.
10. Saguy IS, Troygot O, Marabi A, Wallach R, 2011. Rehydration modeling of food particulates utilizing principles of water transport in porous media. Chapter 21 in: J.M. Aguilera et al. (ed.), *Food Engineering Interfaces*, Food Eng. Series, Springer Science.